



HERPIN 2 DROPS

PATIENT INFORMATION LEAFLET

SCHEDULING STATUS Unscheduled

PROPRIETARY NAME, STRENGTH AND PHARMACEUTICAL FORM

Herpin 2 (Drops)

Read all of this leaflet carefully because it contains important information for you

Herpin 2 is available without a doctor's prescription for you to treat a mild illness. Nevertheless you still need to use Herpin 2 carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share Herpin 2 with any other person.
- Ask your pharmacist or healthcare practitioner if you need more information or advice.
- You must see a healthcare practitioner if your symptoms worsen or do not improve after 3 weeks.

1. WHAT HERPIN 2 CONTAINS

The active ingredients in Herpin 2 are *Acidum hydrofluoricum* D6, *Arsenicum iodatum* D10, *Bovista gigantea* D6, *Graphites* D30, *Hydrastis canadensis* Spag D8, *Lycopodium clavatum* Spag D8, *Sulphur* D30 and *Urtica urens* Spag D4. The other ingredients are ethanol and purified water. Preservative: 20 % Ethanol. Sugar free.

2. WHAT HERPIN 2 IS USED FOR

Herpin 2 is used homeopathically to help relieve dry, scaly skin, minor localized skin sores, urticaria (hives), dermatitis and chronic pimples and acne. It may be used to complement existing treatment to help relieve pre-diagnosed eczema.

3. BEFORE YOU TAKE HERPIN 2

Do not take Herpin 2

- If you are hypersensitive (allergic) or intolerant to any of the active ingredients or other ingredients in Herpin 2.

Take special care with Herpin 2:

- Please consult your healthcare practitioner if your symptoms are severe or do not improve within the following time limits: urticaria and dermatitis should improve within three days, minor localized skin sores within three weeks and chronic acne within twelve weeks.
- If you have a condition such as eczema please consult your healthcare practitioner for advice before taking this medicine.
- If you experience an allergic reaction after taking Herpin 2, discontinue use and consult your healthcare practitioner.
- If you want to substitute existing medical treatment, please consult your doctor or healthcare practitioner before doing so.

Taking Herpin 2 with food and drink

Do not take Herpin 2 within half an hour of strong coffee, chocolate, camphor or aromatic substances as these may reduce the efficacy of the homeopathic components.

Pregnancy and breastfeeding

If you are pregnant or breastfeeding your baby, please consult your healthcare provider for advice before taking this medicine.

Driving and using machinery

Herpin 2 does not interfere with your ability to drive or use machinery.

Important information about some of the ingredients

Herpin 2 contains ethanol. Patients with a sensitivity or intolerance to alcohol should not take Herpin 2.

Using other medicines with Herpin 2

Always tell your healthcare practitioner if you are taking other medicines. (This includes complementary or traditional medicines.) Herpin 2 is not known to interact with other medicines.

4. HOW TO TAKE HERPIN 2

Do not share medicines prescribed for you with any other person. Always check with your pharmacist or healthcare practitioner if you are unsure how to take this medicine. The drops should be taken on the tongue or diluted in a little water. For young children, dilute in a little water and allow to stand for a short time to allow the alcohol to evaporate. The mouth should be free of other strong tastes (e.g. toothpaste, peppermint, etc.) when taking the medicine. To dispense the drops, twist off the screw cap breaking the seal with first use. Ensure the arrow on the top of the dropper insert is facing down towards your tongue or container with water to ensure a continuous flow of drops.

The usual dosage is:

Adults and children: Take 10 drops three times daily.

Reduce the frequency of the dosage to one to two times daily with improvement.

If you take more Herpin 2 than you should

There are no known symptoms of overdose. If a side effect is experienced following an overdose, consult your healthcare practitioner or pharmacist. If neither is available, contact the nearest hospital or poison control centre.

If you forget to take a dose of Herpin 2

Do not take a double dose to make up for forgotten individual doses.

5. POSSIBLE SIDE EFFECTS

There are no known side effects for Herpin 2. Should your general health worsen or if you experience any untoward effects while taking this medicine, please consult your healthcare provider for advice.

6. STORING AND DISPOSING OF HERPIN 2

Store at or below 25 °C in a cool, dry place protected from light and moisture. Keep the container tightly closed. Do not store in a bathroom. **Store all medicines out of the reach of children.** Return all un-used medicines to your pharmacist.

7. PRESENTATION OF HERPIN 2

Herpin 2 drops are available as 25 ml liquid packed in an amber glass bottle with dropper insert and white HDPE tamper-evident screw-on cap.

8. IDENTIFICATION

Herpin 2 drops is a clear, colourless liquid with an alcohol taste and aroma.

9. REFERENCE NUMBER

U1057 (Act 101/1965)

10. NAME AND ADDRESS OF THE APPLICANT

CoMED Health (Pty) Ltd., 313 Kuit Street, Waitloo, Pretoria, 0184.
www.comedhealth.co.za (See also www.natura.co.za)
Tel: 012 813 9400

11. DATE OF PUBLICATION

November 2017

12. COMPLEMENTARY MEDICINE

Homeopathic medicine

Disclaimer: This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.



HERPIN 2 DRUPPELS

PASIËNTINLIGTINGSBLAD

SKEDULERINGSSTATUS Ongeskeduleerd

HANDELSNAAM, STERKTE EN DOSERINGSVORM
Herpin 2 (Druppels)

Lees hierdie inligtingsblad sorgvuldig deur, want dit bevat belangrike inligting vir jou

Herpin 2 is beskikbaar sonder 'n doktersvoorskrif vir die verligting van geringe toestande. Tog moet jy Herpin 2 noukeurig gebruik om die beste resultate daaruit te kry.

- Bewaar hierdie inligtingsblad veilig ingeval jy dit in die toekoms gaan nodig hê om weer te lees.
- Moet nie Herpin 2 met enige ander persoon deel nie.
- Vra jou apteker of gesondheidspraktisyn as jy meer inligting of advies benodig.
- Jy moet 'n gesondheidspraktisyn sien as jou simptome vererger of nie binne 3 weke verbeter nie.

1. WAT HERPIN 2 BEVAT

Die aktiewe bestanddele in Herpin 2 is *Acidum hydrofluoricum D6*, *Arsenicum iodatum D10*, *Bovista gigantea D6*, *Graphites D30*, *Hydrastis canadensis Spag D8*, *Lycopodium clavatum Spag D8*, *Sulphur D30* and *Urtica urens Spag D4*. Die ander bestanddele is etanol en gesuiwerde water.
Preserveermiddel: 20 % Etanol. Suikervry.

2. WAARVOOR HERPIN 2 GEBRUIK WORD

Herpin 2 word homeopaties gebruik om droë, skubberige vel, klein gelokaliseerde velsere, urtikaria, dermatitis en kroniese puiisies en aknee te verlig. Dit kan gebruik word om bestaande behandeling te komplementeer om vooraf gediagnoseerde ekseem te verlig.

3. VOORDAT JY HERPIN 2 GEBRUIK

Moet nie Herpin 2 neem as

- Indien jy allergies of hipersensitief is teenoor enige van die aktiewe bestanddele of ander bestanddele in Herpin 2 of dit nie kan verdra nie.

Wees veral versigtig met Herpin 2:

- Raadpleeg asseblief jou gesondheidspraktisyn indien jou simptome ernstig is of nie binne die volgende tydperke verbeter nie: urtikaria en dermatitis moet binne drie dae verbeter, geringe gelokaliseerde velsere binne drie weke en kroniese aknee moet binne twaalf weke verbeter.
- As jy 'n toestand soos ekseem het, raadpleeg jou gesondheidspraktisyn vir advies voordat jy hierdie medisyne gebruik.
- Stop die gebruik van Herpin 2 dadelik en raadpleeg jou gesondheidspraktisyn indien jy 'n allergiese reaksie ervaar nadat jy Herpin 2 geneem het.
- As jy bestaande mediese behandeling wil vervang, raadpleeg jou dokter of gesondheidspraktisyn voordat jy dit doen.

Gebruik van Herpin 2 saam met voedsel en vloeistowwe

Moet nie Herpin 2 binne 'n halfuur neem van sterk koffie, sjokolade, kamfer of aromatisie stowwe nie, aangesien dit die effektiwiteit van die homeopadiese komponente kan verminder.

Swangerskap en borsvoeding

As jy swanger is of jou baba borsvoed, raadpleeg jou gesondheidspraktisyn vir advies voordat jy enige medisyne gebruik.

Die gebruik en bestuur van masjinerie

Die gebruik van Herpin 2 beïnvloed nie 'n mens se vermoë om masjinerie te bestuur en veilig te gebruik nie.

Belangrike inligting oor sommige van die bestanddele

Herpin 2 bevat etanol. Pasiënte met 'n sensitiwiteit of onverdraagsaamheid teenoor alkohol moet nie Herpin 2 neem nie.

Gebruik van ander medisyne saam met Herpin 2

Vertel altyd jou gesondheidspraktisyn as jy ander medisyne gebruik. (Dit sluit komplementêre of tradisionele medisyne in.) Dit is nie bekend dat Herpin 2 met ander medisyne reageer nie.

4. HOE OM HERPIN 2 TE GEBRUIK

Moenie medisyne wat vir jou voorgeskryf is, met enige ander persoon deel nie. Raadpleeg altyd jou apteker of gesondheidspraktisyn indien jy nie seker is hoe om hierdie medisyne te gebruik nie. Die druppels moet op die tong geneem word of in 'n bietjie water verdun word. Die mond moet vry wees van ander sterk smake (bv. tandepasta, peppermint, ens.) wanneer die medisyne geneem word. Om die druppels te gebruik, skroef die skroefprop af en breek die sekerheidseël. Maak seker dat die pyltjie op die bokant van die druppers af wys na die tong of die houer met bietjie water om 'n deurlopende vloei van die druppels te verseker.

Die gewone dosis is:

Volwassenes en kinders: Neem 10 druppels drie keer per dag.
Verminder die frekwensie van die dosis tot een tot twee keer per dag met verbetering.

Indien jy meer Herpin 2 gebruik as wat nodig is

Daar is geen bekende simptome van oordosis nie. Indien jy 'n nuwe-effek ervaar, raadpleeg jou gesondheidspraktisyn of apteker. Indien hulle nie beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.

As jy vergeet om 'n dosis Herpin 2 te neem

Moet nie 'n dubbeldosis neem om vir 'n ongeslaande dosis van Herpin 2 op te maak nie.

5. MOONTLIKE NUWE-EFFEKTE

Daar is geen nuwe-effekte vir Herpin 2 aangemeld nie. Indien jou algemene gesondheid versleg of indien jy enige nuwe-effekte ondervind wanneer jy hierdie medisyne gebruik, raadpleeg jou gesondheidspraktisyn of apteker vir advies.

6. BERGING EN VERNIETIGING VAN HERPIN 2

Bewaar by of benede 25 °C in 'n koel, droë plek en beskerm teen lig en vog. Hou die houer dig gesluit. Moenie in 'n badkamer stoor nie. **Hou alle medisyne buite bereik van kinders.** Stuur alle ongebruikte medisyne aan jou apteker terug.

7. AANBIEDING VAN HERPIN 2

Herpin 2 druppels is beskikbaar as 25 ml vloeistof in 'n amber glasbottel met druppers inleg en wit HDPE skroefprop met sekerheidseël.

8. IDENTIFIKASIE

Herpin 2 druppels is 'n helder, kleurlose vloeistof met 'n alkohol smaak en aroma.

9. VERWYSINGSNOMMER

U1057 (Wet 101/1965)

10. NAAM EN ADRES VAN DIE APPLIKANT

CoMED Health (Pty) Ltd., Kuitstraat 313, Waltloo, Pretoria, 0184.
www.comedhealth.co.za (Sien ook www.natura.co.za); Tel: 012 813 9400.

11. DATUM VAN PUBLIKASIE

November 2017

12. KOMPLEMENTÊRE MEDISYNE

Homeopadiese medisyne
Vrywaring: Hierdie ongeregistreerde medisyne is nie deur SAHPRA vir sy kwaliteit, veiligheid of voorgestelde gebruik geëvalueer nie.